

CERTIFICATE OF ANALYSIS (COA) FOR 10MG COMING SOON. IF 10MG IS ORDERED PRIOR TO SEEING THE COA HERE IT WILL NOT BE SHIPPED UNTIL THE COA IS RECEIVED VERIFYING THE PRODUCT QUANTITY AND PURITY

# TEST REPORT



E-mail: info@janoshik.com  
Web: www.janoshik.com

Task Number #76235

Testing ordered > 19 AUG '25

Sample received > 25 AUG '25

Client Apex Peptide Supply

Sample TB-500-5mg

Manufacturer

Batch APS25-0072-TB-5005MG **APS25-0083-TB-5002MG**

## Sample description >

See picture or pictures attached.



## Tests requested >

Assessment of a peptide vial or vials.

## Results >



TB-500 (TB4)	2.06 mg
Purity	99.216%

## Comments >

Fast-eluting peak is assumed to be a filler and is not counted for purity assessment.

**DUE TO THE RESULTS OF THE 3RD PARTY LAB TESTING QUANTITY COMING BACK LESS THAN MANUFACTURER STATED IT WAS SUPPOSED TO BE , THE BATCH NUMBER ON THE VIAL CUSTOMER RECEIVES WILL BE APS25-0083-TB-5002MG TO SHOW THE CORRECT BATCH# WHICH REFLECTS CORRECT QUANTITY OF 2MG PROVIDED TO CUSTOMER.  
\*\*\*\*\*THIS IS WHY 3RD PARTY LAB TESTING IS SO IMPORTANT\*\*\*\*\***

Analysis conducted > 27 AUG 2025

Signature >



Verify this test at [www.janoshik.com/verify/](http://www.janoshik.com/verify/) with the following unique key

MZBA27R8NI8T



[Download test report](#)

[Download raw data](#)

[Download p](#)

# TEST REPORT



E-mail: info@janoshik.com  
Web: www.janoshik.com

Task Number #76236      Testing ordered > 19 AUG '25  
Sample received > 25 AUG '25

Client Apex Peptide Supply  
Sample TB-500-10mg  
Manufacturer  
Batch APS25-0073-TB-50010MG **APS25-0084-TB-5005MG**

## Sample description >

See picture or pictures attached.

## Tests requested >

Assessment of a peptide vial or vials.

## Results >



TB-500 (TB4)	5.24 mg
Purity	99.748%

## Comments >

Fast-eluting peak is assumed to be a filler and is not counted for purity assessment.

**DUE TO THE RESULTS OF THE 3RD PARTY LAB TESTING QUANTITY COMING BACK LESS THAN MANUFACTURER STATED IT WAS SUPPOSED TO BE , THE BATCH NUMBER ON THE VIAL CUSTOMER RECEIVES WILL BE **APS25-0084-TB-5005MG** TO SHOW THE CORRECT BATCH# WHICH REFLECTS CORRECT QUANTITY OF 5MG PROVIDED TO CUSTOMER.  
\*\*\*\*\*THIS IS WHY 3RD PARTY LAB TESTING IS SO IMPORTANT\*\*\*\*\***

Analysis conducted > 27 AUG 2025

Signature >



Verify this test at [www.janoshik.com/verify/](http://www.janoshik.com/verify/) with the following unique key

49L96C92YFGN



[Download test report](#)

[Download raw data](#)

[Download p](#)